

## श्री चण्डी भैरव माध्यमिक विद्यालय SHREE CHANDI BHAIRAB SECONDARY SCHOOL

चन्द्रागिरी-२, चिसापानी, काठमाडौं Chandragiri-2 Chisapani, Kathmandu

पत्र संख्या:-

च.नं :--

रुधाः २०%० १. भ्रम्बराद्यानाः

मिति : २०५०/११/१३

क्याटलग/ब्रोसर खरिद विधिबाट सवारी साधन खरिद सम्बन्धी सूचना !

प्रथम पटक प्रकाशित मिति २०८०/११/१३

यस विद्यालयका लागि एकथान ४०+१ सिटर बस आवश्यक परेकाले चन्द्रागिरि नगरपालिकाको चालु आ.व. २०६०/०६१ को स्वीकृत कार्यक्रम एवं बजेटअनुसार एक थान बस खरिदका लागि अनुवान दिने निर्णयका साथ बस खरिदका लागि अनुमित र स्वीकृत स्पेसीफिकेसन प्रदान गरेको हुँदा नेपाल सरकारवाट कर छुट माग गरी कर छुट पछिको हुन जाने न्युनतम लागत मूल्यमा सार्वजनिक खरिद ऐन २०६३ को दफा ६ को उपदफा १(क ६) तथा सार्वजनिक खरिद नियमावली २०६४(संशोधनसिहत)को नियम ३१ख बमोजिम क्याटलग सिपङ विधिबाट खरिद कार्य गर्नु पर्ने भएको हुँदा इजाजत प्राप्त उत्पादक वा विकेताले यो सूचना प्रकाशित भएको मितिले १५ दिन भित्र निवकरण भएको इजाजत पत्र , आयकर र मूल्य अभिवृद्धि करदाता दर्ता प्रमाणपत्र र गत आ.व. को कर चुक्ता प्रमाणपत्रको प्रमाणित प्रतिलिपिहरूसमेत राखी उत्पादकको बसको आधिकारिक स्पेसिफिकेसन ,गुणस्तर, मूल्य तथा सुविधासिहतको विवरण (क्याटलग वा ब्रोसर ) हरू समावेश गरी सिलबन्दी प्रस्ताव(निवेदन ) सिहत मिति २०६०/१९/२६ गते विद्यालय समयभित्र विद्यालय प्रसाशनमा दर्ता गराउनहुन यो सूचना प्रकाशित गरिएको छ । रित नपुगी तथा म्याद नाघी आएको प्रस्ताव उपर कुनै कारवाही हुने छैन । प्राप्त प्रस्तावहरू स्विकृत गर्ने वा नगर्ने सम्पूर्ण अधिकार यस विद्यालयमा निहित रहने छ । यस सम्बन्धी विस्तृत जानकारी विद्यालयमा लिन सिकने छ ।

у. з

९८५११६३१५२

## **Technical Specification of 40 seater School Bus**

S.N.	Criteria	Requirement	Offered Specification
1	General	Right Hand Drive 3X2 or 2X2 Seating Layout mo	Make:
			Model:
2	Engine	Maximum rated power output not less than	
		110 HP at governed RPM with torque	
		minimum 350 NM at governed RPM, engine	Make:
		fully equiped with accessories for efficient full	Model:
		load operation of the vehicle at operating	Wiodei.
		conditions, cold starting device, heavy duty	
		fuel filter.	
3	Emission	The Emission Standard of the vehicle should be	
	Standard	"Vehicle Mass Emission Standard" of Nepal	
		Which is to be certified by Department of	
		Transport Mangement , Nepal	
4	Gauges	To include water temperature , fuel, oil	
		pressure, transmission gauge etc. as necessary	
		for efficient operation and maintenance, .etc	
6	Transmission	Manual shift at least 5 forward and one	
	£	reverse	
8	Suspension	Semi - elliptical/parabolic Leaf Spring at front &	
		Rear	
9	Tyres	Standard size	
10	Steering	Power Steering	
11	Brakes	Air Brakes with manufactured fitted ABS.	
12	Cab	All metallic/FRP CAB, front wipers, glass	
		windows on doors, through ventilation,	
		comfortable seats, rear view mirror and two	
		side view mirrors.	
13	Chassis and	Steel, heavy duty suitable for rough road	
	frame	conditions with toe-hook	
14	Essential	a. Head light, tail and rear light, reversing	
	accessories	light, turn signals.	
	A 5	b. Cabin lights.	
		c. Speedometer/ odometer	
		d. Heavy duty front bumper.	
		e. One spare wheel with tyre and tube.	
		F. Suitable Jack & Handle	
		g. Seat belt for driver	
		8	
15	Instructions	All signs and instructions in the vehicle shall be	
		in English.	
16	Manuals	One Copy of the Operator's and Owner's	
		instructions and maintenance manual in English	
		shall be supplied with the vehicle.	
17	Tools	A set of tools as reqired for general	
		maintenance shall be supplied.	
18	Colour	Standard color	
19	Warranty	Manufacturer shall provide a minimum of One-	
1.0	waitality		
		year warranty after acceptance.	





20	Delivery	40 Seater School Bus, shall be delivered to:	
	A = 10	Chandi Bhairab Secondary School	

